

NMR

Service

F
i
l
i
n
g

Name	<input type="text"/>	Request-ID	<input type="text"/>
BSM-ID	<input type="text"/>	Short name	<input type="text"/>
AG	<input type="text"/>	<input type="radio"/> Staff	Deuterated solvent
Phone 838 -	<input type="text"/>	<input type="radio"/> Student	Substance amount <input type="text"/> mg/mL
Structure	Date of delivery <input type="text"/>		
	400 MHz ECX <input type="checkbox"/> ¹ H <input type="checkbox"/> ¹³ C <input type="checkbox"/> DEPT135 <input type="checkbox"/> ¹⁹ F <input type="checkbox"/> ³¹ P <input type="checkbox"/> ¹¹ B		
	500 MHz ECP/AV <input type="checkbox"/> ¹ H <input type="checkbox"/> ¹³ C <input type="checkbox"/> DEPT135 <input type="checkbox"/> HMBC <input type="checkbox"/> ¹⁹ F <input type="checkbox"/> COSY <input type="checkbox"/> HMQC		
	600 MHz ECZ <input type="checkbox"/> ¹ H <input type="checkbox"/> ¹³ C <input type="checkbox"/> DEPT135 <input type="checkbox"/> HMBC <input type="checkbox"/> ¹⁹ F <input type="checkbox"/> ³¹ P <input type="checkbox"/> COSY <input type="checkbox"/> HMQC		
Hazardousness	700 MHz AV <input type="checkbox"/> ¹ H <input type="checkbox"/> ¹³ C <input type="checkbox"/> DEPT135 <input type="checkbox"/> HMBC <input type="checkbox"/> ¹³ C IG <input type="checkbox"/> COSY <input type="checkbox"/> HMQC		
Comment			