

N M R	Name <input type="text"/>		Request-ID
	BSM-ID <input type="text"/>		Short name
	AG <input type="text"/>	<input type="radio"/> Staff	Deut. solvent
	Tel. 838 - <input type="text"/>	<input type="radio"/> Student	Substance amount mg/mL
	Structure		Date of delivery <input type="text"/>
400 MHz ECX <input type="checkbox"/> ¹ H <input type="checkbox"/> ¹³ C <input type="checkbox"/> DEPT135 <input type="checkbox"/> ¹⁹ F <input type="checkbox"/> ³¹ P <input type="checkbox"/> ¹¹ B			
500 MHz ECP/AV <input type="checkbox"/> ¹ H <input type="checkbox"/> ¹³ C <input type="checkbox"/> DEPT135 <input type="checkbox"/> HMBC <input type="checkbox"/> ¹⁹ F <input type="checkbox"/> COSY <input type="checkbox"/> HMQC			
600 MHz ECZ <input type="checkbox"/> ¹ H <input type="checkbox"/> ¹³ C <input type="checkbox"/> DEPT135 <input type="checkbox"/> HMBC <input type="checkbox"/> ¹⁹ F <input type="checkbox"/> ³¹ P <input type="checkbox"/> COSY <input type="checkbox"/> HMQC			
Hazardousness		700 MHz AV <input type="checkbox"/> ¹ H <input type="checkbox"/> ¹³ C <input type="checkbox"/> DEPT135 <input type="checkbox"/> HMBC <input type="checkbox"/> ¹³ C IG <input type="checkbox"/> COSY <input type="checkbox"/> HMQC	
Comment			

Service

F
i
l
l
i
n
gInformation: https://www.biosupramol.de/en/Betreiber/Betreiberliste_OpenIRIS/NMR-Unit.html

N M R	Name <input type="text"/>		Request-ID
	BSM-ID <input type="text"/>		Short name
	AG <input type="text"/>	<input type="radio"/> Staff	Deut. solvent
	Tel. 838 - <input type="text"/>	<input type="radio"/> Student	Substance amount mg/mL
	Structure		Date of delivery <input type="text"/>
400 MHz ECX <input type="checkbox"/> ¹ H <input type="checkbox"/> ¹³ C <input type="checkbox"/> DEPT135 <input type="checkbox"/> ¹⁹ F <input type="checkbox"/> ³¹ P <input type="checkbox"/> ¹¹ B			
500 MHz ECP/AV <input type="checkbox"/> ¹ H <input type="checkbox"/> ¹³ C <input type="checkbox"/> DEPT135 <input type="checkbox"/> HMBC <input type="checkbox"/> ¹⁹ F <input type="checkbox"/> COSY <input type="checkbox"/> HMQC			
600 MHz ECZ <input type="checkbox"/> ¹ H <input type="checkbox"/> ¹³ C <input type="checkbox"/> DEPT135 <input type="checkbox"/> HMBC <input type="checkbox"/> ¹⁹ F <input type="checkbox"/> ³¹ P <input type="checkbox"/> COSY <input type="checkbox"/> HMQC			
Hazardousness		700 MHz AV <input type="checkbox"/> ¹ H <input type="checkbox"/> ¹³ C <input type="checkbox"/> DEPT135 <input type="checkbox"/> HMBC <input type="checkbox"/> ¹³ C IG <input type="checkbox"/> COSY <input type="checkbox"/> HMQC	
Comment			

Service

F
i
l
l
i
n
gInformation: https://www.biosupramol.de/en/Betreiber/Betreiberliste_OpenIRIS/NMR-Unit.html